

Inocybe pseudodestructa Stangl & J. Veselský, Česká Mykol. 27: 19 (1973)




Foto: 1 ©F. Pancorbo

Registro: FP06111809	Fecha: 18/11/2006	Lugar: El Brezal	Hábitat: En bosque de <i>Pinus sylvestris</i> y.	Fotos: PB194128.JPG PB194130.JPG PB194132.JPG
--------------------------------	-----------------------------	----------------------------	--	---

- **Citations in published lists:** Index of Fungi 4: 214
- **Position in classification:** Cortinariaceae, Agaricales, Agaricomycetidae, Basidiomycetes, Basidiomycota, Fungi
- **Sinonimia:**
 - *Inocybe derbschii* Schwöbel & Stangl, Caroleina 40: 11 (1982)

- **Carpóforo :**
Olor espermático

- **Microscopía:**



1. *Esporas*

8,1 [9,4 ; 10] 11,3 x 4,9 [5,8 ; 6,1] 7 μm
 Q = 1,4 [1,6 ; 1,7] 1,8 ; N = 33 ; C = 95%
 Me = 9,7 x 6 μm ; Qe = 1,63




2. *Pleurocistidios*

Paredes gruesas de x 1,6 [1,7 ; 1,9] 2; Me = x 1,8
 52,5 [55,5 ; 59,6] 62,6 x 11,9 [14,8 ; 18,8] 21,7 μm
 Me = 57,5 x 16,8 μm



3. *Queilocistidios*



4. *Caulocistidios parte superior y media del pie*

Otras Descripciones y Fotos

- *Guida alla determinazione dei funghi - 3 – Inocybe. Stangl J. p. 16 - 134 - t. 16/2*
- *Iconographia Mycologica. Vol. XXIX. Alessio, C.L. 1980 p. 289*
- *A revision of the Genus Inocybe in Europe. I. Subgenus Inosperma and the smooth-spored species of Subgenus Inocybe. Kuyper, T.W. p. 73-152*
- *Inocybe alpine e subalpine. Erminio Ferrari. FND Pars XXXIV-XXXV-XXXVI. P. Foto*
- *Champignons de Suisse. Tome 5. 81 p.94*

Foto: 2. © F. Pancorbo